

A new generation foliar treatment combining Silicon (Si), Phosphorus in the form of Phosphite ( $\text{PO}_3^-$ ) and Potassium (K) with humic and fulvic acids to assist plant uptake. It is specifically formulated to promote and maintain healthy plant growth and enhance quality characteristics.

### Application Rates & Timings

<b>Brassicas*/OSR/Pulse, Root &amp; Beet Crops</b>	1-3 l/ha from 4-6 true leaves. Repeat @ 14-21 day intervals.
<b>Lettuce/Leafy Salads*</b>	2-3 l/ha from 7-10 days post planting. Repeat @ 10-14 day intervals
<b>Cereals</b>	1-2 l/ha at G.S (Zadoks) 21-23. Repeat at G.S. 30-33.
<b>Potatoes</b>	2 l/ha at early tuber bulking. 2 l/ha at late tuber bulking.
<b>Golf/Sports/Amenity Turf</b>	5-10 l/ha during periods of active growth. Repeat applications advised @ 14-21 day intervals.

\*Propagated plants will benefit from an application via irrigation systems at a rate of 2-4 ml per litre of water particularly just prior to planting out.

**Fielder UK Ltd**  
The Paddocks  
Longden, Shrewsbury  
Shropshire, SY5 8EX

T. 01743 860924  
F. 01743 860977

#### CONDITIONS OF SUPPLY

All goods supplied by us are suitable for use. The performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or the fitness for any purpose of our goods are excluded, and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use.

### Typical Analysis w/w

Phosphorus Pentoxide ( $\text{P}_2\text{O}_5$ )	6.6% (P 2.9%)
Potassium Oxide ( $\text{K}_2\text{O}$ )	13.1% (K 10.9%)
Silicon ( $\text{SiO}_2$ )	6.6% (Si 3.1%)

### Mixing Instructions

Fielder Silphite is best applied alone and should be added to the tank when at least 50% of the water volume is present. Maintain agitation throughout the mixing and spraying operations and after use, thoroughly flush all spray equipment, lines and nozzles with clean water.

### Compatibility

Fielder Silphite is supplied as a high pH (alkaline) solution and should not be mixed with acidic fertilisers. Consult with your supplier before tank mixing with agrochemicals, for specific recommendations.

**PROTECT FROM FROST**

**10L e**

A new generation foliar treatment combining Silicon (Si), Phosphorus in the form of Phosphite ( $\text{PO}_3^-$ ) and Potassium (K) with humic and fulvic acids to assist plant uptake. It is specifically formulated to promote and maintain healthy plant growth and enhance quality characteristics.

### Application Rates & Timings

<b>Brassicas*/OSR/Pulse, Root &amp; Beet Crops</b>	1-3 l/ha from 4-6 true leaves. Repeat @ 14-21 day intervals.
<b>Lettuce/Leafy Salads*</b>	2-3 l/ha from 7-10 days post planting. Repeat @ 10-14 day intervals
<b>Cereals</b>	1-2 l/ha at G.S (Zadoks) 21-23. Repeat at G.S. 30-33.
<b>Potatoes</b>	2 l/ha at early tuber bulking. 2 l/ha at late tuber bulking.
<b>Golf/Sports/Amenity Turf</b>	5-10 l/ha during periods of active growth. Repeat applications advised @ 14-21 day intervals.

\*Propagated plants will benefit from an application via irrigation systems at a rate of 2-4 ml per litre of water particularly just prior to planting out.

**Fielder UK Ltd**  
The Paddocks  
Longden, Shrewsbury  
Shropshire, SY5 8EX

T. 01743 860924  
F. 01743 860977

#### CONDITIONS OF SUPPLY

All goods supplied by us are suitable for use. The performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or the fitness for any purpose of our goods are excluded, and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use.

### Typical Analysis w/w

Phosphorus Pentoxide ( $\text{P}_2\text{O}_5$ )	6.6% (P 2.9%)
Potassium Oxide ( $\text{K}_2\text{O}$ )	13.1% (K 10.9%)
Silicon ( $\text{SiO}_2$ )	6.6% (Si 3.1%)

### Mixing Instructions

Fielder Silphite is best applied alone and should be added to the tank when at least 50% of the water volume is present. Maintain agitation throughout the mixing and spraying operations and after use, thoroughly flush all spray equipment, lines and nozzles with clean water.

### Compatibility

Fielder Silphite is supplied as a high pH (alkaline) solution and should not be mixed with acidic fertilisers. Consult with your supplier before tank mixing with agrochemicals, for specific recommendations.

**PROTECT FROM FROST**

**10L e**